- a compound having a functional group selected from the group consisting of a propargyl carbonate, a propargyl carbamate, a propargyl ether, a propargyl ester, a butynyl carbonate, a butynyl carbamate, a butynyl ester, a pentynyl carbamate, a pentynyl carbamate, a pentynyl ester, and/or
- one terminal alkyne functional group or at least two terminal alkyne functional groups.
- **74.** The resin composition according to claim **71**, wherein the at least one compound C2 is represented by the following general formula (XIII):

$$X[L S - Z]_z$$
 (XIII)

wherein

- z represents an integer of from 2 to 1000;
- Z represents—independently from each other on each occurrence—hydrogen or a thiol protecting group;
- L represents—independently from each other on each occurrence—a single bond or a divalent group selected from the group consisting of a linear or branched, saturated or unsaturated, substituted or unsubstituted alkylene group; a linear or branched, saturated or unsaturated, substituted or unsubstituted heteroal-kylene group; a saturated or unsubstituted or unsubstituted or unsubstituted or unsubstituted or unsaturated, substituted or unsubstituted arylene group; a substituted or unsubstituted arylene group; a substituted or unsubstituted arylene group; a linear or branched, substituted or unsubstituted aralkylene group; a linear or branched, substituted or unsubstituted arylene group; a linear or branched, substituted or unsubstituted alkarylene group; or a silicium containing divalent group; and
- X represents a z-valent group selected from the group consisting of a linear or branched, saturated or unsaturated, substituted or unsubstituted alkyl group; a linear or branched, saturated or unsaturated, substituted or unsubstituted heteroalkyl group; a saturated or unsaturated, substituted or unsubstituted or unsubstituted or unsubstituted heterocycloalkyl group; a substituted or unsubstituted aryl group; a substituted or unsubstituted aryl group; a linear or branched, substituted or unsubstituted aralkyl group; a linear or branched, substituted or unsubstituted or unsubstituted alkaryl group; or a silicium containing z-valent group.
- 75. The composition according to claim 71, wherein the at least one compound C3 comprises at least one of the following features:
 - at least one functional group selected from the group consisting of a vinyl functional group, an allyl functional group, an acrylate functional group and a methacrylate functional group; and/or
 - at least two carbon-carbon double bonds.
- **76**. The composition according to claim **71**, wherein the composition comprises at least two compounds C3 including a compound C3a having at least one methacrylate functional group and a compound C3b having at least one allyl functional group, in particular wherein the compound C3b further has at least one of a carbamate group and an isocyanurate group.
- 77. The composition according to claim 71, wherein the at least one stabilizer comprises at least one radical scavenger, in particular at least one phenolic radical scavenger.

- **78**. The composition according to claim **71**, wherein the at least one stabilizer comprises at least one phosphorous containing compound, in particular at least one phosphonic acid and/or at least one phosphoric acid and/or a derivative thereof.
- **79**. The composition according to claim **71**, wherein the at least one stabilizer comprises at least one complexing agent, in particular at least one aromatic azo compound.
- **80**. The composition according to claim **71**, wherein the at least one stabilizer comprises at least one aromatic azo compound having a hydroxy group in ortho-position with regard to an azo group.
- **81**. The composition according to claim **71**, wherein the at least one stabilizer comprises:
 - at least one radical scavenger, in particular at least one phenolic radical scavenger, and
 - at least one phosphorous containing compound, in particular at least one phosphonic acid and/or at least one phosphoric acid and/or a derivative thereof.
- **82**. The composition according to claim **71**, wherein the at least one stabilizer comprises:
 - at least one radical scavenger, in particular at least one phenolic radical scavenger, and
 - at least one complexing agent, in particular at least one aromatic azo compound.
- **83**. The composition according to claim **71**, wherein the at least one stabilizer comprises:
 - at least one radical scavenger, in particular at least one phenolic radical scavenger,
 - at least one phosphorous containing compound, in particular at least one phosphonic acid and/or at least one phosphoric acid and/or a derivative thereof, and
 - at least one complexing agent, in particular at least one aromatic azo compound.
- **84**. The composition according to claim **71**, further comprising at least one photoinitiator, in particular an ultraviolet-active photoinitiator and/or a visible light-active photoinitiator
- **85**. The composition according to claim **71**, wherein the composition comprises at least one of the following features: the composition comprises from 0.001 to 10 wt.-% of the at least one stabilizer; and/or
 - the composition further comprises at least one additive selected from the group consisting of a pigment, an inorganic filler, an organic filler, a dispersing agent, a levelling agent, a slip agent, a light absorber, a rheology modifier and a defoaming additive; and/or
 - the composition is substantially solvent-free, in particular substantially water-free.

86. A kit comprising

- at least one compound C1 having at least one terminal alkyne functional group and/or at least one compound C3 having at least one carbon-carbon double bond
- at least one compound C2 having at least two thiol functional groups; and
- at least one stabilizer selected from the group consisting of a radical scavenger, a phosphorous containing compound and a complexing agent.
- 87. rising the steps of
- providing a resin composition as defined in claim 71, the resin composition further comprising at least one photoinitiator; and
- irradiating at least a part of the resin composition with an energy-carrying activation beam so as to cause polym-